

HOLSTEIN MFG.


**Towable Barbeque Grill
Model 7240G shown
with Options**



**Sweet Corn Roaster
& Potato Cooker
Model 306**



**Gas Country Club Grill
Model 2448G with
Optional Half Hood**



HOLSTEIN MANUFACTURING INC.

5368 110TH STREET • HOLSTEIN, IA 51025-9539

800-368-4342 • 712-368-4342 • FAX 712-368-2351

www.holsteinmfg.com • hmi@holsteinmfg.com




TOP SELLERS!

TRAILER MOUNTED TOWABLE GRILLS

BARBEQUE!

7240G shown with Optional Hog Rotisserie, Cooler, Spare Tire, Rear Table and Side Table




7240GSS shown with Optional Rear Table and Warming Rack




7240G shown with Hog Rotisserie and Optional Rear Serving Table



Regulator, Thermostat & Gas Valve



Pilot Light and Runner Pilot Assembly



Burner Pipe with Air Mixer & Brass Gas Valve

Our top-selling towable grill, the 7240G, is one of the most sturdy and reliable on the market. For quality cooking, the 7240G is the one for the job!

Model 7240G

Barbeque Grill with Hog Rotisserie

- Cooking dimensions: 72" long x 40" wide
- Cooking area: 20 sq. ft
- Overall dimensions: 140" long x 60" wide x 62" tall
- Includes standard gas and trailer mounted grill features

Model 7240GSS

Stainless Steel Gas Barbeque Grill with Rotisserie

- Cooking dimensions: 72" long x 40" wide
- Cooking area: 20 sq. ft
- Overall dimensions: 140" long x 60" wide x 62" tall
- Stainless steel cabinet (SS)
- NSF Listed and Certified
- Includes standard gas and trailer mounted grill features

STANDARD TRAILER MOUNTED TOWABLE GRILL FEATURES

All models

- 36" grilling surface height
- Heavy 14 gauge steel construction
- Stainless steel grates from 5/16" ss rod
- Stainless steel rotisserie from 5/16" ss rod
- 110 volt, 2 RPM electric rotisserie motor
- Flip-up side doors
- Temperature gauge
- Grease drip tray under rotisserie
- 13" tires
- 1,800 lb. pay load per axle and fenders
- 2" trailer hitch & heavy duty jack
- Turn signals & brake lights with flat four-way plug
- See table on pages 4 & 5 for additional model specs

Gas models

- Automatic thermostat and pilot light
- Gas valve and gas regulator
- Adjustable and individually controlled pipe burners
- Angle iron grease deflectors above burners
- Swing-away lower door allows for easy cleaning and pilot light maintenance
- Removable wire mesh grill rock trays above burners
- Grease drip tray under grill frame
- 40 lb propane tanks

See additional options on pages 8 and 9.

Model 7240G - no trailer

Gas Barbeque Grill with Rotisserie

- Cooking dimensions: 72" long x 40" wide
- Cooking area: 20 sq. ft
- Overall dimensions: 86" long x 40" wide x 62" tall
- Mounted on four heavy duty casters or flat steel pads
- Available in natural gas - optional
- Includes standard gas and trailer mounted grill features, excluding features relating to towing

**7240G
(no trailer)
shown with
Optional Rear
Smoker Boxes**




Model 7240GSS - no trailer

Stainless Steel Gas Barbeque Grill with Rotisserie

- Cooking dimensions: 72" long x 40" wide
- Cooking area: 20 sq. ft
- Overall dimensions: 86" long x 40" wide x 62" tall
- Mounted on four heavy duty casters or flat steel pads
- Available in natural gas - optional
- NSF Listed and Certified
- Includes standard gas and trailer mounted grill features, excluding features relating to towing

**7240GSS
(no trailer)
shown with Optional
Rear Table**




Model 7240C

Charcoal Barbecue Grill with Rotisserie

- Cooking dimensions: 72" long x 40" wide
- Cooking area: 20 sq. ft
- Overall dimensions: 129" long x 60" wide x 62" tall
- Available in stainless steel (SS) - optional
- Includes standard trailer mounted grill features

**7240C shown
with Hog
Rotisserie**



I purchased my first Holstein Grill over 15 years ago and have cooked 10's of thousands of hot dogs, hamburgers and chicken sandwiches over the years and it wasn't until recently I decided to do a pig roast in conjunction with a sporting event. The folks at Holstein got me the equipment I needed for my grill, walked me thru the installation process, gave me pointers on how to prepare the hog and even called to see how the event turned out.

I can't say enough about Holstein Manufacturing and their grills. If you combine their equipment with the customer support, fast delivery and willingness to help their customers, you have a truly amazing combination. I'll never be without my Holstein Grill. If you're in large scale concession business, you need one of these grills!!!

865-974-1204

Todd Boyd

General Manager, Sodexo Sports & Leisure at
the University of Tennessee



See additional options on pages 8 and 9.

**7260G shown
with Two Hog
Rotisseries**

TRAILER MOUNTED TOWABLE GRILLS

BARBEQUE!



Catering a convention or working a county fair, you can be ready for the crowds with the Model 7260G. The dual rotisseries allow you the capability to cook two hogs or fourteen 20 lb. roasts at the same time. What a time saver!

Model 7260G **Double Wide Gas Barbeque Grill with Two Rotisseries**

- Cooking dimensions: 72" long x 60" wide
- Cooking area: 30 sq. ft
- Overall dimensions: 140" long x 80" wide x 62" tall
- Includes all standard gas and trailer mounted grill features



**7260GSS shown
with Optional
Rear Table**

Model 7260GSS **Stainless Steel Double Wide Gas Barbeque Grill with Two Rotisseries**

- Cooking dimensions: 72" long x 60" wide
- Cooking area: 30 sq. ft
- Overall dimensions: 140" long x 80" wide x 62" tall
- Stainless steel cabinet (SS)
- Includes all standard gas and trailer mounted grill features

See additional options on pages 8 and 9.

MODEL	7240G 7240GSS	7240G-no trailer 7240GSS-no trailer	7240C	7260G 7260GSS	1240G 1240GSS	4830C
STANDARD FEATURES						
Cooking dimensions (l x w)	72" x 40"	72" x 40"	72" x 40"	72" x 60"	144" x 40"	48" x 30"
Square feet cooking area	20	20	20	30	40	10
Overall dimensions (l x w x h)	140 x 60 x 62	86 x 40 x 62	129 x 60 x 62	140 x 80 x 62	239 x 60 x 62	60 x 30 x 54
Weight - lbs	1260	860	1020	1750	2320	500
Tires & size	2 - 13"	4 - heavy casters	2 - 13"	2 - 13"	4 - 13"	2 - 10"
Stainless steel grates	4	4	4	4	8	2
Stainless steel rotisserie & motor	1	1	1	2	2	1
Flip-up side doors	2	2	2	2	4	2
Temperature gauge	1	1	1	2	2	1
GAS FEATURES						
Total BTU's	320,000 BTU	320,000 BTU	NA	480,000 BTU	640,000 BTU	NA
Individually controlled pipe burners	4	4	NA	6	8	NA
40 lb propane tanks	2	0	NA	4	4	NA
Gas valve & gas regulator	1	1	NA	2	2	NA
Automatic thermostat & pilot light	1	1	NA	2	2	NA
Grease drip tray under grill frame	1	1	NA	2	2	NA

Model 1240G


12 Foot Long Gas Barbeque Grill with Two Rotisseries

- Cooking dimensions: 144" long x 40" wide
- Cooking area: 40 sq. ft
- Overall dimensions: 239" long x 60" wide x 62" tall
- Stainless steel (SS) cabinet - optional
- Includes all standard gas and trailer mounted grill features

1240G shown with Optional Warming Grate & Side Tables



1240G shown with Optional Rear Serving Table



STANDARD TRAILER MOUNTED TOWABLE GRILL FEATURES

All models (Gas & Charcoal)

- 36" grilling surface height
- Heavy 14 gauge steel construction
- Stainless steel grates from 5/16" ss rod
- Stainless steel rotisserie from 5/16" ss rod
- 110 volt, 2 RPM electric rotisserie motor
- Flip-up side doors
- Temperature gauge
- Grease drip tray under rotisserie
- 13" tires
- 1,800 lb. pay load per axle and fenders
- 2" trailer hitch & heavy duty jack
- Turn signals & brake lights with flat four-way plug
- See table on pages 4 & 5 for additional model specs

Gas models

- Automatic thermostat and pilot light
- Gas valve and gas regulator
- Adjustable and individually controlled pipe burners
- Angle iron grease deflectors above burners
- Swing-away lower door allows for easy cleaning and pilot light maintenance
- Removable wire mesh grill rock trays above burners
- Grease drip tray under grill frame
- 40 lb propane tanks



1240G shown with Optional Canvas Cover

4830G	4830GT	4830GT	4828G	4828C	7238G	7238C	Football 42G
48" x 30"	48" x 30"	48" x 30"	48" x 30"	48" x 30"	72" x 38"	72" x 38"	48" x 24"
10	10	10	10	10	19	19	8
74 x 30 x 54	108 x 45 x 58	108 x 45 x 58	60 x 30 x 54	74 x 30 x 54	140 x 60 x 62	140 x 60 x 62	150 x 60 x 62
640	850	850	500	640	1260	860	1150
2 - 10"	2 - 13"	2 - 13"	2 - 13"	2 - 13"	2 - 13"	2 - 13"	2 - 13"
2	2	2	2	2	4	4	1
1	1	1	NA	NA	NA	NA	NA
2	2	2	1	1	1	1	1
1	1	1	1	1	1	1	NA
160,000 BTU	160,000 BTU	160,000 BTU	160,000 BTU	NA	320,000 BTU	NA	180,000 BTU
3	3	3	3	NA	4	NA	3
1	2	2	2	NA	2	NA	2
1	1	1	1	NA	1	NA	1
1	1	1	1	NA	1	NA	1
1	1	1	1	NA	1	NA	1

TRAILER MOUNTED TOWABLE GRILLS

BARBEQUE!

**4830G shown
with Rotisserie**



**4830GT shown
with Rotisserie
and Optional
Rear Table**



**4828G shown with
Optional Rear Table**



**7238G shown
with Optional
Rear Table**

Model 4830G (Gas) & Model 4830C

(Charcoal - Not pictured)

Barbeque Grill with Rotisserie - no trailer

- Cooking dimensions: 48" long x 30" wide
- Cooking area: 10 sq. ft
- Two 10" tires
- Available in natural gas - optional
- Available in stainless steel (SS) - optional
- Includes standard trailer mounted grill features, excluding features relating to towing

Model 4830GT(Gas) & 4830CT

(Charcoal - Not pictured)

Barbeque Grill with Rotisserie - on trailer

- Cooking dimensions: 48" long x 30" wide
- Cooking area: 10 sq. ft
- Available in stainless steel (SS)- optional
- Includes standard trailer mounted grill features

Model 4828G & 4828C

(Charcoal - Not pictured)

Southern Style Grill (no rotisserie) - on trailer

- Cooking dimensions: 48" long x 30" wide
- Cooking area: 10 sq. ft
- One door - rolled 14 gauge barrel construction
- Specially designed spring assisted lid lifting mechanism on door
- Available in stainless steel (SS)- optional
- Includes standard trailer mounted grill features

Model 7238G & 7238C

(Charcoal - Not pictured)

Southern Style BBQ Grill (no rotisserie) - on trailer

- Cooking dimensions: 72" long x 38" wide
- Cooking area: 19 sq. ft
- Overall dimensions: 140" long x 60" wide x 62" tall
- One door - rolled 14 gauge barrel construction
- Specially designed spring assisted lid lifting mechanism on door
- Available in stainless steel (SS) - optional
- Includes standard trailer mounted grill features

See additional options on pages 8 and 9.

Model FB42G

Football Grill for Tailgating

The Towable "Football Grill" is ideal for the ultimate tailgating experience. This football theme grill can be customized for your favorite team.


- Cooking Dimensions: 48" long x 24" wide
- Overall Dimensions: 150" long x 60" wide
- 13" tires mounted on chrome rims
- Propane tanks secured to the trailer by yellow goalposts
- Green painted "grass" fenders with optional yard lines
- "Helmet" door opens for cleaning and pilot light maintenance
- Includes most standard gas and trailer mounted grill features
- Specially designed spring assisted lid lifting mechanism on door

Options

- Removable stainless shelf with football cutouts - optional
- Team logo on "Helmet" door
- Painted yard line on "grass" fenders, 100 yards in 10 yard increments
- Cutout team logo on grill lid



Model FB42G shown with Rear Table and College Football Team Customization and Detailing



"The thing I love most about the Holstein grills is the versatility. I have cooked pancakes for breakfast with the pancake griddle option, hamburgers and steaks for lunch and rotisserie chicken or smoked ribs for dinner with the chicken rotisserie option. I have also used these grills to serve a five course meal. I replace a cooking grate with the stainless steel warming pan and within 8 minutes I have boiling water to serve clams for an appetizer. Later I use that same water to boil lobsters while I cook steaks. Baked potatoes and corn are cooking on the other side. When Holstein Manufacturing added the rear mounted utility stove option my life got even easier. Heating soup to boiling fish and seafood on that stove just magnifies the versatility that was already in place. I have been a customer for 30 years and I have not found a better product."


Bill Wall, Billy Bones BBQ
Sanford, Michigan (989) 687-7880



Model 9640

Adjustable Grate Charcoal Barbeque Grill

- Cooking dimensions: 96" long x 40 wide"
- Cooking area: 26.5 sq. ft
- Overall dimensions: 168" long x 60" wide x 36" tall
- Two leveling jacks raise and lower grates
- One wire mesh grate
- Includes standard trailer mounted grill features



See additional options on pages 8 and 9.

BARBEQUE!

EQUIPMENT OPTIONS



A. *Rear Mounted Serving Table*

- 40" x 16" permanent stainless steel table



B. *Side Mounted Serving Table*

- 30" x 10" removable stainless steel table




C. *Standard Stainless Steel Grates*

- Welded 5/16" stainless steel rods



D. *Laser Cut Grate*

- Grate can be personalized/customized



E. *Stainless Steel Hog/Lamb/Roast Rotisserie*

- Available for every barbecue having rotisserie capabilities
- Holds seven 10 lb. roasts or one 185 lb. (260 lb. live weight) hog




F. *Chicken Rotisserie with Baskets*

- Available for every barbecue having rotisserie capabilities
- Each stainless steel chicken rotisserie can hold eight chicken baskets having the capacity to hold 48 chickens and or smaller cuts of meat
- Basket size: 31" long x 6" wide



G. *Chicken Rotisserie with Skewers*

- Available for every barbecue having rotisserie capabilities
- Each stainless steel chicken rotisserie can hold 12 skewers having the capacity to hold approx. 72 whole chickens or 18 slabs of ribs



H. *Individual Stainless Steel Skewer*

- Custom made skewers available
- Available for every barbecue having rotisserie capabilities
- Adjustable skewers hold meat (large beef rounds, pork roasts, or pork hams) on 1" spit



I. *Pancake Griddle*

- Heavy duty construction which cooks evenly & is easy to clean
- Made to fit in place of any grate or customized to meet your specifications
- Available in stainless steel

J. *Double Boiler Steam Holding Pans*

- Stainless steel construction
- Capable to sit on mesh grates in barbecue while keeping food hot without drying

K. *Smoker Box*

- Fill smoker box with hickory or apple wood chips to add flavoring and insert within barbecue, 24" long x 8" wide x 4 deep

L. *Stainless Steel Rib Rack*

- 24" long x 13" high x 3" wide

M. Stainless Steel Holding and Warming Grate

- Excellent for keeping food warm for serving, Fits in place of rotisserie

N. Heat Tempered Window

- 36" long x 15" wide

O. Spare Tires

P. Cooler or Storage Box

- 36" long x 18" wide x 20" tall, top loading lid with hinge
- Cooler is a double walled stainless steel cabinet with 1" insulation
- Heavy 14 gauge steel construction storage box

Q. Propane Utility Stove

- Two individually controlled 60,000 BTU burners
- Shown mounted on rear of Model 7240G grill

R. 20" Tall Stainless Steel Sign

- Stainless steel sign ready for your customized detailing
- Laser-cut stainless steel sign - optional



S. Canvas Cover and Frame

- Shown mounted on Model 1240G grill


T. Rear Smoker • 14" long x 8" wide x 4" deep

U. Sweet Corn Balloon with Blower

- Dimensions: 40" base x 9" tall



Model 306 shown with optional four sinks, waste water tank, hot water storage cooler and spare tire



Model 306 Sweet Corn Roaster and Potato Cooker is pictured in operational position while unloading corn into coolers



Removable chassis for easy servicing of chains and bearings

"The Holstein Mfg. Sweet Corn Roaster is durably constructed, easy to maintain, and portable. The machine roasts corn perfectly; the best cooker technology on the market. The model has the capacity to roast 550 ears of corn per hour. At one festival, we served an average of 288 ears per hour for 10 straight hours. At \$2.00 per ear, that's one heck of a day's work!"

Ben Merrill, Raleigh, North Carolina
(919) 550-6060 • (919) 848-2215 home

SWEET CORN ROASTER & POTATO COOKERS

Model 306

Our Sweet Corn Roaster and Potato Cooker is the food concession answer. Corn on the cob and potatoes serve the health conscious public and is in demand year-round throughout the country. At any gathering, people will line up to experience great tasting corn and potatoes roasted in the Sweet Corn Roaster and Potato Cooker.

Cooking Capabilities:

600 ears of corn per hour
600 baked potatoes per hour

Other products: stuffed chili peppers, half apples, half peaches, mini pizzas, mini fruit pies

- Oven dimensions: 46" wide x 101" long x 60" high
- Road dimensions: 66" wide x 144" long x 81" high
- Weight: 2200 lbs.
- Self-unloading automatic trip device
- Double walled stainless steel with 1" insulation
- Four individually controlled pipe burners...320,000 BTU
- Automatic thermostat & pilot light
- 54 stainless steel racks
- Two 100 lb. propane tanks
- 110 volt, 2 RPM electric motor
- Removable chassis for easy maintenance
- 2" trailer hitch & heavy duty jack
- Turn signals & brake lights with flat four-way plug
- Sweet corn & potato roaster is NSF Listed and Certified

Customized Options:

- Hot water storage tank holds 14 gallons
- Stainless steel 4-compartment sink
- Stainless steel waste water holding tank holds 18 gallons
- Stainless steel cooler, 36" long x 18" wide x 20" tall
- 13" spare tire



HOLSTEIN
MFG. 1-800-368-4342

Model 150

A smaller version of the Model 306.

- Dimensions: 36" wide x 60" tall x 48" deep
- Weight: 1050 lbs.
- Capacity approximately: 275 ears of corn per hour
- Self-unloading trip device
- 33 stainless steel racks
- 110 volt, 2 RPM electric motor
- Double walled stainless steel with 1" insulation
- Removable chassis for easy maintenance
- Four heavy duty casters
- Automatic thermostat & pilot light
- One mounted 100 lb propane tank
- Sweet corn & potato roaster is NSF Listed and Certified



Model 150

Gazebo

- Junior Gazebo and Deluxe Gazebo will fit in a 10' x 10' space. An attractive and functional way to market your product.
- Two person setup in less than 10 minutes!
- Junior Gazebo features a fully assembled frame, unprinted vinyl top & skirt, five carrying cases, and three 48" x 19" counters
- Deluxe Gazebo features a fully assembled frame, unprinted vinyl top & skirt, seven carrying cases, and five 48" x 19" counters
- Printed skirt and/or top - optional

Dimensions:
 Widest Point: 10'
 Flat Sides: 8'9"
 Center Height: 8'6"
 Counter Height: 38"

Base Weight:
 Junior Gazebo: 180 lbs.
 Deluxe Gazebo: 215 lbs.


Junior Gazebo



Sweet Corn Balloon with Blower

Sweet Corn Balloon with Blower

- Dimensions: 40" base x 9' tall
- Balloon is made of colorful, durable vinyl
- Commercial blower keeps the balloon expanded with air
- Excellent for eye catching product advertisement



**SUPERBOWL
XXXIX!**

CHICKEN & RIB COOKERS

Dual Systems Smoker/Convention Oven

Model 600

**Chicken, Rib, & Beef Cooker w/ Smoker
(Portable Unit)**




**Model 600
w/ smoker**




- Oven dimensions:
72" wide x 120" long x 77" high
- Road dimensions:
92" wide x 190" long x 110" high
- Weight: 6,200 lbs.
- Five individually controlled pipe burners...400,000 BTU
- 32 removable racks, 16 regular & 16 piggy-back, 11 1/2" wide x 60" long
- Three warming tray racks, holds 18 stainless steel warming pans
- Heat tempered window
- Includes Standard Chicken & Rib cooker features
- Model 600 Chicken, Rib & Beef Cookers are NSF Listed and Certified.

Cooking Capabilities:

600 whole chickens	700 ears of corn
210 slabs of pork ribs	1500 lbs. of beef
1400 lbs. pork loin	1100 hamburgers
1140 chicken quarters	1140 pork chops



**Door to pilot light,
burners and gas valve**



Grilling Turkey Legs on a Model 600

Brian Willi, Traditions Restaurant
Harrisonburg, VA
(540) 438-0301

Model 400 – Chicken, Rib, & Beef Cooker w/ Smoker (Portable Unit)

Whether it's pizza, hamburgers, potatoes, steaks, lobsters, clams or the familiar chicken and ribs, you'll be sure to take top honors when you have the Chicken & Rib Cooker in your corner. These cookers were designed with the serious caterer in mind. Even-heating in these stainless steel units will allow you to prepare for any size gathering.

- Oven dimensions: 72" wide x 120" long x 48" high
- Road dimensions: 92" wide x 190" long x 80" high
- Weight: 4,000 lbs.
- Four individually controlled pipe burners...320,000 BTU
- 24 removable racks, 12 regular & 12 piggy-back
- One warming tray rack, holds 6 stainless steel warming pans, 11 1/2" wide x 60" long
- Includes Standard Chicken & Rib Cooker features
- Model 400 Chicken and rib cookers are NSF Listed and Certified.

STANDARD CHICKEN & RIB COOKER FEATURES

- Double walled stainless steel with 2" insulation
- Foot switch for forward or reverse rack rotation
- Fold-away stainless steel rear prep table
- Automatic hydraulic closing latches
- Automatic thermostat & pilot light
- One 1HP electric motor
- 2" trailer hitch & heavy duty jack stand
- Turn signals & brake lights with flat four-way plug
- 14" Tires
- Tubular smoker with outside entry door and Wayne burner




Model 400



Model 400 - No trailer

Model 400 - no trailer Chicken & Rib Cooker

- Oven dimensions: 72" wide x 70" tall x 60" deep
- Outside dimensions: 81" wide x 80" tall x 70" deep.
- 16 removable racks, eight regular racks, & eight piggy-back, 11 1/2" wide x 60" long
- Two individually controlled pipe burners...160,000 BTU
- Includes Standard Chicken & Rib Cooker features
- Model 400 Chicken and rib cookers are NSF Listed and Certified.



"The Model 600 Chicken Rib & Beef Cooker has made our business grow from one model eleven years ago to six units today. The Model 600 has the capability of cooking 780 quarters of chickens on the racks and 320 quarters on the warming shelves for a total of 1140 quarters. This unit also has the capability of cooking 30 cases of 2 1/2 lbs. and down size St. Louis Style Ribs, 70 whole turkeys (weighing 15 lbs. each), 1,400 lbs. of pork loins, 960 Las Vegas Stuffed Flounder, 240-6" pizzas, or 1,000 biscuits. I am also able to hold three whole hogs in the holding and warming section. The Model 600 has been the success of our business. Our business continues to grow and Holstein Manufacturing has provided us with reliable and durable products through the years.

Tom Perryman Country Caterers, BBQ, Inc.
Keystone Heights, Florida (352) 473-3728

CHICKEN & RIB COOKERS / CONVECTION OVEN

Model 250

Chicken, Rib & Beef Cooker w/Smoker

The newest kid on the block is the model 250 chicken & rib cooker. Built with the same high quality materials and standards as the model 600 and 400. This convection oven with rotating baskets has the ability to smoke with the optional smoker.

- Oven dimensions: 84" long x 54" wide x 48" tall
- Road dimensions: 13' long x 84" wide x 86" tall
- Weight: 3,000 lbs.
- Four individually controlled pipe burners... 320,000 BTU's
- 20 removable racks, 10 regular racks & 10 piggy-back racks
- Double walled stainless steel with 2" insulation
- Foot switch for forward or reverse rack rotation
- Fold-away stainless steel rear prep table
- Automatic hydraulic closing latches
- Automatic thermostat & pilot light
- One 1HP electric motor
- 2" trailer hitch & heavy duty jack stand
- Turn signals & brake lights with flat four-way plug
- 13" Tires
- Tubular smoker with outside entry door and Wayne burner-optional

Cooking Capabilities:

- 240 whole chickens
- 80 slabs of pork ribs
- 560 lbs of pork loin
- 460 chicken quarters
- 280 ears of corn
- 600 lbs of beef
- 440 hamburgers
- 460 pork chops



Convection Smoker

Sizes: 4'x4'x4' (Model 444) or 5'x5'x5' (Model 555)

- Double walled stainless steel with 2" insulation
- Five stainless steel wire mesh trays holds 20 pans
- Automatic thermostat & pilot light
- Tubular smoker with outside entry door & Wayne burner
- Two circulating fans
- Automatic hydraulic closing latches
- Available in LP or natural gas
- Removable access door
- Four heavy duty casters
- Convection smokers are NSF Listed and Certified.



Smoker Door

BACKYARD GRILLS


Model RTG2430

Roll Top Backyard Grill

Our Roll Top Backyard Grill is perfect for backyard cookouts, country club steak fries, and many other outdoor grilling events. With its even heat distribution, the Roll Top Backyard Grill makes it easy for the amateur to grill like a pro.

- Grill dimensions: 24" wide x 30" long x 50" tall • Weight: 190 lbs.
- 26" long x 21" wide removable stainless steel cooking grate
- Grilling surface height: 36"
- Removable 26" long x 10.5" wide warming rack above cooking grate
- Heavy 14 gauge steel construction
- Stainless steel side shelf
- Four individually controlled pipe burners...80,000 BTU
- Grease drip tray
- Temperature gauge
- Push button burner igniter
- Charcoal model also available
- 40 lb. propane tank - optional
- Chicken skewer & rotisserie with motor - optional
- Stainless steel cabinet construction (ss)- optional
- RTG2430 in stainless steel is NSF Listed and Certified

RTG2430
with
Optional
Skewer



Standard
RTG2430
Roll Top
Backyard
Grill



Model RTR3630

Roll Top Rotisserie

- Grill dimensions:
54" tall x 36" long x 30" wide • Weight: 303 lbs.
- Four 29" x 8.5" rotating stainless steel racks
- Grilling surface height: 36"
- Heavy 14 gauge steel construction
- Removable stainless steel side shelf
- Five individually controlled pipe burners...100,000 BTU
- Grease drip tray
- Temperature gauge
- 110 volt, 2 RPM, electric rotisserie motor
- Automatic thermostat & pilot light
- Smoke box
- 40 lb. propane tank - optional
- Stainless steel cabinet construction (ss)- optional
- RTR3630 in stainless steel is NSF Listed and Certified


RTR3630
Roll Top
Rotisserie




Model RES2922

Stainless Steel Backyard Grill

- Cooking dimensions: 29" x 22"
- Overall dimensions: 67" long x 25" wide x 47" tall
- Heavy 14 ga polished stainless steel construction
- Stainless steel side shelf
- Stainless steel front shelf
- Four individually controlled pipe burners, 80,000 BTUs
- Stainless steel warming rack
- Temperature gauge
- Push button igniter
- Side burner - optional
- 20 lb. propane tank - optional



Pedestal Option



Hood Closed



COUNTRY CLUB CHARCOAL GRILLS

BARBEQUE!

2460C shown with
Optional Stainless
Steel grate in raised
position



**2448CSS All Stainless
Steel Construction with
Stainless Steel Grate**



**2460CSS shown
with Optional
Half Hood and
Warming Rack**

The Country Club Grills are ideal for large outdoor parties, golf outings and summer gatherings. The heavy duty construction lends itself to any application from rentals to catering to employee cookouts.

Models

- 2448C or 2448CSS
24" x 48" cooking surface, Weight: 120 lbs
- 2460C or 2460CSS
24" x 60" cooking surface, Weight: 150 lbs

Standard Features

- Grilling surface height: 36"
- Cooking grate adjusts up 6 levels in 1" increments
- Heavy 14 gauge steel construction
- Removable round steel pipe legs
- Mounted on caster wheels
- Removable black iron grate made of 5/16" rod

Options

- Stainless steel grate made of 5/16 ss rod
- Stainless steel cabinet and stainless steel grate
- Half hood (black or stainless)
- Full hood (black or stainless)
- Stainless steel warming rack
(fits inside half hood or full hood)
- Charcoal risers (black or stainless)
- 2448CSS & 2460CSS are NSF Listed and Certified



**2460CSS shown
with Optional
Full Hood**

These grills are the sturdiest on the market. We use the charcoal grill with stainless steel grates to finish our meats or ribs at catering functions and festivals like "Taste of Chicago". These grills make us a top seller every year!

Charlie Robinson, Robinson's #1 Ribs
(708) 383-1333 Oak Park, IL

COUNTRY CLUB GAS GRILLS

2448G



**2472GSS shown
with Optional
Fold Down Shelf**



Models

- 2448G or 2448GSS, 24"X 48" cooking surface
- 2460G or 2460GSS, 24"X 60" cooking surface
- 2472G or 2472GSS, 24" X 72 " cooking surface

Standard Features

- Grilling surface height: 36"
- Removable stainless steel grate made of 5/16 ss rod
- Heavy 14 gauge construction
- Removable round steel pipe legs
- Mounted on caster wheels
- Three individually controlled pipe burners
- 16" x 24" stainless steel side shelf over burners
- One 40 lb. propane tank mounted on end (available in natural gas)
- Grease drip tray under main cabinet
- Angle iron grease deflectors above burners
- Single stage regulator

Options

- Stainless steel cabinet construction (SS)
- Half hood (black or stainless)
- Stainless steel warming rack (fits inside half hood or full hood)
- Full hood (black or stainless) includes automatic thermostat, pilot light, gas valve and hood mounted thermometer
- Drop down stainless steel front shelf
- 100 lb propane tank
- Pneumatic wheels
- 2448GSS, 2460GSS, & 2472GSS are NSF Listed and Certified




**2472G shown
with Optional
Half Hood and
Warming Rack**



**2460G shown
with Optional
Pneumatic Wheels
and Full Hood**

**Removable
Leg and Caster**



**Half Hood with
Warming Rack**



Model	Length	Width	Height	BTU's	Weight
2448G / SS	48"	24"	36"	180,000	255
2460G / SS	60"	24"	36"	210,000	290
2472G / SS	72"	24"	36"	240,000	330



Grease Deflectors



Pneumatic Wheels

SPECIALTY PRODUCTS

FRYER / PANCAKE GRILL / DUNK TANK

*Deep Fat Fryer with
Optional Shelves and
Optional Basket
Rack Holder*



Model 4526

Deep Fat Fryer

Great for all your fried foods... Funnel Cakes, Elephant Ears, French Fries, Onion Rings...or as a three-pan warmer.

- Exterior dimensions: 45" long x 26" wide x 36" tall
- Interior dimensions: 38.5" long x 19.5" wide
- Weight: 350 lbs.
- Double walled stainless steel cabinet
- 2" insulation on all three serving sides
- Automatic thermostat & pilot light
- High/low temperature limit switch
- Holds three stainless steel warming pans
- Holds approx. 10-15 gallons (140 lbs.) cooking oil
- Deep fat fryer is NSF Listed and Certified.
- 40 lb. propane tank - optional
- Stainless steel lid - optional
- Front shelf: 8" wide x 45" long - optional
- Removable basket rack holder - optional
- Two side shelves: 14" long x 26" wide - optional

**Deep Fat Fryer
Cooking Cavity**




**Deep Fat
Fryer with
Optional Lid**



PAN2458

**PAN2458 shown
with Optional
Batter Dispenser**



Model - PAN2458

Pancake-Griddle Grill

- Griddle Dimensions: 24" wide x 58" long
- Grill Dimensions:
32" wide x 76" long x 36" tall
- Cabinet is made of heavy 14 gauge steel
- Eight adjustable and individually controlled pipe burners...160,000 BTU
- Gas valve & pilot light
- 40 lb propane tank - optional
- Stainless steel cabinet - optional
- Stainless steel batter dispenser - optional



Royal Flush Dunk Tank

- Park dimensions: 48" wide x 48" long x 84" tall
- Trailer dimensions: 68" wide x 144" long x 100" tall
- Weight: 800 lbs.
- Enclosed in clear Lexon plastic, heavy duty plastic floor panels
- Ground fault 110 volt interrupter
- Water pump
- Self-contained water system, runs on approx. 30 gallons
- The "Royal Flush" comes with softball target
- Fiberglass toilet folds down for road travel
- Netting attachment folds & is carried on trailer
- Dunk tank can be used on or off trailer
- Basketball target - optional

SPECIALTY TRAILERS

Soda and Concession Trailers

Pop trailer or full service concession trailer the answer is up to you. Concession trailers are custom built to meet the demands of each individual. We want each trailer to be as unique as the owner and the occasion it serves. We start with the premise of a standard pop trailer and build from there. Features and options that make each trailer one of a kind are:

- 7' or 8' width and various lengths
- Tubular steel frame and upright supports
- Aluminum siding - exterior
- Aluminum diamond plate floor
- Axles and tires depend on application
- Interior lights, electric panel, electric outlets
- Serving windows with screens, glass or both
- Leveling jacks on four corners
- Insulation in walls and ceilings
- Aluminum siding - interior
- Air conditioning



- Removable tongue and hitch
- Fresh and waste water tanks
- Stainless steel sinks
- Stainless steel counters inside or outside
- Electric hot water heater and pump
- LP gas tank & hook up
- Exhaust hood and fan
- Cooking equipment- grills and fryers
- Concession and flatbed trailer combination



Hydraulic Level Loading Trailers

Standard Features

- 4" x 10" rectangular tube frame
- Solid rubber isolator for suspension
- Electric brakes
- Diamond floor plate
- Hydraulic cylinder
- DC power up & down hydraulic power system
- 12 volt marine battery
- Tires are 215-75R17.5 with 4805 lb and "H" rating
- Breakaway kit
- 7 wire lighting connector
- Tailgate bar with lights
- Safety latch and jack stand
- 2-5/16" adjustable height hitch
- Tie down D rings
- Construction yellow paint (other colors available)
- Deck lowers level to the ground
- One person needed for loading & unloading
- 12" ground clearance when loaded

Options

- Fully enclosed trailer, aluminum roll top door or side swing door
- Surge brake actuator
- Winch
- Spare Tire
- Toolbox



4 in 1 Level Loading Trailer

- Deck can be unloaded at any height between ground and dock height
- Two out riggers on frame for loading and unloading stability
- Deck can tilt at a dumping angle for material unloading
- 12,000 lbs. net load carrying capacity
- Floor length/total length: 12'/21', 14'/23', 16'/25', or 18'/27'
- Total width: 102" Inside width: 74"

Hi-Lo Trailer

- Single Axle - 6,000 lbs. net load carrying capacity
- Tandem Axles - 12,000 lbs. net load carrying capacity
- Floor length/total length: 10'/15', 12'/17', 14'/19', or 16'/21'
- Total width: 101" Inside width: 74"



HOLSTEIN
MFG. 5368 110th Street
Holstein, Iowa 51025-9539

Presorted Standard
US Postage Paid
Holstein, IA
Permit No. 3




**Standard
RTG2430
Roll Top
Backyard Grill**

or current resident

**Chicken, Rib & Beef Cooker
Model 600 with smoker**



**Towable Football Grill
Model FB42G**



We also
specialize
in CUSTOM designs.
Visit our website for
new designs or used
equipment.

**Stainless Steel Barbeque
Grill with Holding &
Warming Grate
Model 7240GSS**



**Model RES2922
Backyard Grill**

**1240G with Optional
Warming Grate &
Side Tables**



Holstein Manufacturing is a family run business, that has been in the industry for over 35 years. Our commitment to quality and dedication to customer service is evident in every piece of equipment we make. Our goal is to meet and exceed all of our customer's expectations through the development of quality barbecue and trailer equipment. 03/2012